



STATE OF TENNESSEE
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF WATER RESOURCES
Jackson Environmental Field Office
1625 Hollywood Drive
Jackson, TN 38305

Phone 731-512-1300 Statewide 1-888-891-8332 Fax 731-661-6283
October 15, 2013

Mr. Johnny Townsend
Public Works Director
City of Camden
e-copy: jrtownsend1@bellsouth.net
PO Box 779
Camden, TN 38320

Subject: NPDES Tracking Number TNR121313
Camden WWTP
City of Camden
Camden, Benton County, Tennessee

Dear Mr. Townsend:

The Division of Water Resources (division) acknowledges receipt of a certified Notice of Termination, on 16-SEP-13. This form was submitted according to Section 8.1.1 of the General NPDES Permit for Discharges of Storm Water Associated with construction Activities (TNR100000), which requires the operator to submit written certification that a site, or portion of a site has been finally stabilized and all storm water discharges associated from the construction activities that were authorized are eliminated.

If you have questions, please contact the division at your local Environmental Field Office at 1-888-891-TDEC; or, at this office, please contact me at (731) 512-1365 or by E-mail at *Brian.Wallace@tn.gov*.

Sincerely,

Brian Wallace
Division of Water Resources
Jackson Environmental Field Office

cc: Division of Water Resources, Jackson Field Office

**TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION**

Division of Water Resources

William R. Snodgrass Tennessee Tower, 312 Rosa L. Parks Avenue, 11th Floor, Nashville TN 37243

1-888-891-8332 (TDEC)

Compliance Inspection for General NPDES Permit for Stormwater Discharges from Construction Activities (CGP)

Site/Project Name: Camden WWTP			NPDES Tracking Number: TNR121313
			Date Coverage was Issued: 24-JUN-11
Street Address or Location: Hildon King Road			Start date:
			Estimated end date:
Site Description: High flow channel repair for wastewater treatment plant			Latitude (dd.dddd): 36.0475
			Longitude (-dd.dddd): -88.074722
County(ies): Benton	EFO: Jackson	MS4 Jurisdiction:	Acres Disturbed: 6.19
			Total Acres:

Name of Permittee (Developer/Operator): City of Camden**Name of Official Contact:** Johnny Townsend**Email:** jrtownsend1@bellsouth.net**Contact Phone:** 731-584-4656**Address:** PO Box 779**City:** Camden**State:** TN**Zip:** 38320

Check List (office & field checks)	Yes	No	Comments
1 Does the site have CGP coverage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2 Is NOC posted on site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3 Have the site contractors signed the NOI?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4 Is the current SWPPP available for review?	<input type="checkbox"/>	<input type="checkbox"/>	unknown
5 Are EPSCs in accordance with SWPPP?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6 Are EPSCs installed properly and functional?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
7 Are inspection reports available on site?	<input type="checkbox"/>	<input type="checkbox"/>	unknown
8 Is the proper buffer zone maintained?	<input type="checkbox"/>	<input type="checkbox"/>	n/a
9 Were there unstable, inactive areas on the site? If so, does inspector know if length of time has been more than 14 days (or 7 days for steep slopes)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10 Are more than 50 acres disturbed at one time?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
11 Has sediment discharged off site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
12 Has sediment discharged into waters of the State?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
13 Are there unauthorized alterations to waters of the State?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
14 Are there violations of an existing ARAP? If so, ARAP No.?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
15 Other pollutants/discharges or unusual problems?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
16 Project is complete and stable with no construction-related stormwater discharges?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

General Comments:

Site work is complete and site is stable. Rock transition at downstream low-water crossing appears to be functioning appropriately. TNCGP coverage for site can be terminated.

Routine ☐**Comprehensive** ☐**Complaint** ☐**Follow Up** ☐**Termination** ☒**On-Site Contact (if available)****On-Site Contact Name (Print):**
John Beasley**On-Site Contact Title:****Signature:****Date:****TDEC Personnel/Information****Inspector's Name (Print):**
Brian Wallace**Signature:****Date:** 10-10-13**Time:** 1332**EFO: Name and Address**
Jackson Environmental Field Office
1625 Hollywood Drive
Jackson, TN 38305



United States Environmental Protection Agency
Washington, D. C. 20460

Water Compliance Inspection Report

Section A: National Data Coding (i.e., PCS)

Transaction Code NPDES yr / mo / dy Inspection Type Inspector FacType
1 N 2 5 3 T N 8 1 2 1 3 1 3 11 12 1 3 1 0 1 0 17 18 3 19 S 20 2
Remarks

21 66

Inspection Work Days Facility Self-Monitoring Evaluation BI QA -----Reserved-----
67 0 5 69 Rating 70 71 72 73 74 75 80

Section B: Facility Data

Name and Location of Facility Inspected (For industrial users discharging to POTW, also include POTW name and NPDES permit number)

Entry Time / Date

Permit Effective Date

Camden WWTP High Flow Channel Repair

Exit Time / Date

Permit Expiration Date

1322/10-10-13

Name(s) of On-Site Representative(s)/Title(s)/Phone and Fax Number(s)

Other Facility Data (e.g., SIC NAICS, and other descriptive information)

Name, Address of Responsible Official/Title/Phone and Fax Number

Contacted

☐ Yes ☐ No

Section C: Areas Evaluated During Inspection (Check only those areas evaluated)

<input type="checkbox"/> Permit	<input type="checkbox"/> Self-monitoring Program	<input type="checkbox"/> Pretreatment Program	<input type="checkbox"/> MS4
<input type="checkbox"/> Records / Reports	<input type="checkbox"/> Compliance Schedule	<input type="checkbox"/> Pollution Prevention	
<input type="checkbox"/> Facility Site Review	<input type="checkbox"/> Laboratory	<input checked="" type="checkbox"/> Storm Water	
<input type="checkbox"/> Effluent / Receiving Waters	<input type="checkbox"/> Operation & Maintenance	<input type="checkbox"/> Combined Sewer Overflow	
<input type="checkbox"/> Flow Measurement	<input type="checkbox"/> Sludge Handling / Disposal	<input type="checkbox"/> Sanitary Sewer Overflow	

Section D: Summary of Findings/Comments

(Attach additional sheets of narrative and checklists, including Single Event Violation codes, as necessary)

SEV Codes

SEV Description

Refer to TDEC Form

Name (s) and Signature(s) of Inspector(s)

R. Wilcox

Agency/Office/Phone and Fax Numbers
Tennessee Division of Water Resources

(FAX)

Date

10-10-13

Signature of Management Q A Reviewer

Agency/Office/Phone and Fax Numbers
Tennessee Division of Water Resources

(FAX)

Date